

Loaded Stream (Anti-Freeze) AC-40 Dry **Charge (Fire Extinguishing Agent)**

IDENTIFICATION 1.

Product Name Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire

> Extinguishing Agent) Potassium Acetate

Other Names Recommended use of the chemical and

restrictions on use

Identified uses

Fire Extinguishing Agent Restrictions on use Consult applicable fire protection codes

Badger Fire Protection Company Identification

8767 Seminole Trail, Suite 202

Ruckersville, VA 22968

USA

Customer Information Number

(434)-964-3200 **Emergency Telephone Number**

(800) 424-9300 **CHEMTREC Number**

(703) 527-3887 (International) **Issue Date** August 26, 2019

Supersedes Date November 23, 2016

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

HAZARD IDENTIFICATION 2.

Hazard Classification

This product is classified as not hazardous in accordance with the Globally Harmonized System of Classification and Labelling (GHS).

Label Elements

Hazard Symbols

None

Signal Word: None

Hazard Statements

None

Precautionary Statements

Prevention

None

Response

None

Storage

None

Disposal

None

Other Hazards

None

Revision Date: August 26, 2019 Page 1 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire Extinguishing Agent)

2. HAZARD IDENTIFICATION

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity 0%
Acute dermal toxicity 0%
Acute inhalation toxicity 0%
Acute aquatic toxicity 0%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a substance.

Component CAS Number Concentration

Potassium Acetate 127-08-2 ~100%

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed Notes to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved.

Specific hazards arising from the chemical

None known

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

Revision Date: August 26, 2019 Page 2 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire Extinguishing Agent)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact.

Environmental Precautions

Prevent large quantities of the material from entering drains or watercourses.

Methods and materials for containment and cleaning up

Sweep up or vacuum and transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Store containers away from high heat sources. Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Potassium Acetate

None

Particulates not otherwise classified /regulated

OSHA PEL: 50 mppcf or 15 mg/m³ TWA, total dust

15 mppcf or 5 mg/m³ TWA, respirable fraction

Appropriate engineering controls

Use with adequate ventilation. There should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

Individual protection measures

Respiratory Protection

Not normally required. Use dust mask where dustiness is prevalent, or TLV is exceeded. In oxygen deficient atmospheres, use a self-contained breathing apparatus, as an air purifying respirator will not provide protection.

Skin Protection

Gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

Revision Date: August 26, 2019 Page 3 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry **Charge (Fire Extinguishing Agent)**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Solid (powder) **Physical State**

> Color White Odorless

Odor **Odor Threshold** Not applicable рΗ Not applicable

Specific Gravity 1.57

Boiling Range/Point (°C/F) No data available

Melting Point (°C/F) 292/558

Flash Point (°C/F) Not flammable Vapor Pressure Not applicable **Evaporation Rate (BuAc=1)** Not applicable Solubility in Water 200g/100g water Vapor Density (Air = 1) Not applicable

VOC (g/l) None **VOC (%)** None

Partition coefficient (n-No data available

octanol/water)

Viscosity No data available **Auto-ignition Temperature** Not applicable **Decomposition Temperature** No data available Upper explosive limit Not applicable Lower explosive limit Not applicable Flammability (solid, gas) Not flammable

STABILITY AND REACTIVITY 10.

Reactivity

No data available.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Exposure to direct sunlight - contact with incompatible materials

Incompatible Materials

Strong oxidizing agents

Hazardous Decomposition Products

Oxides of carbon - potassium

Revision Date: August 26, 2019 Page 4 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire Extinguishing Agent)

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Potassium Acetate
Oral LD50 (Rat) 3250 mg/kg
Dermal LD50 (Rabbit) >20,000 mg/kg (analogous compound)
Inhalation LC50(rat) >5.6 mg/l (analogous compound)

Specific Target Organ Toxicity (STOT) - single exposure

Potassium Acetate: No data available

Specific Target Organ Toxicity (STOT) - repeat exposure

Potassium Acetate: No data available

Serious Eye damage/Irritation

Potassium Acetate: Not irritating (rabbit)

Skin Corrosion/Irritation

Potassium Acetate Not irritating (rabbit)

Respiratory or Skin Sensitization

<u>Potassium Acetate:</u> Available data indicates this component is not expected to cause skin sensitization. No data available for respiratory sensitization.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

Potassium Acetate: Available data indicates this component is not expected to be mutagenic.

Reproductive Toxicity

<u>Potassium Acetate:</u> Available data indicates this component is not expected to cause reproductive toxicity or birth defects.

Aspiration Hazard

Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Potassium Acetate:

LC50 Zebrafish 1497 mg/l 96h

EC50 Daphnia magna 420 mg/l 48h

EC50 Mann diatom 500 mg/l 72hr

Mobility in soil

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

Revision Date: August 26, 2019 Page 5 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire Extinguishing Agent)

12. ECOLOGICAL INFORMATION

Bioaccumulative Potential

No relevant studies identified.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of container in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment.

Special Precautions for Shipping:

Individuals must be certified as Hazardous Material Shipper for all transportation modes.

PLEASE NOTE: THIS IS A NON-PRESSURIZED PRODUCT WHEN SOLD BY THE MANUFACTURER, AND AS SUCH, IS NOT REGULATED FOR SHIPMENT PER U.S. DOT CFR 172.101.

DOT CFR 172.101 Data UN Proper Shipping NameNot Regulated
Not Regulated

UN Class None
UN Number None
UN Packaging Group None

Classification for AIR Consult current IATA Regulations prior to shipping by air.

Transportation (IATA)

Classification for Water Consult current IMDG Regulations prior to shipping by water.

Transport IMDG

This section is believed to be accurate at the time of preparation. It is not intended to be a complete statement or summary of the applicable laws, rules, or hazardous material regulations, and is subject to change. Users have the responsibility to confirm compliance with all laws, rules, and hazardous material regulations in effect at the time of shipping.

15. REGULATORY INFORMATION

United States TSCA Inventory

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

SARA Title III Sect. 311/312 Categorization

None

Revision Date: August 26, 2019 Page 6 of 7



Loaded Stream (Anti-Freeze) AC-40 Dry Charge (Fire Extinguishing Agent)

15. REGULATORY INFORMATION

SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 1

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstracts Service Number

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: August 26, 2019 Replaces: November 23, 2016

Changes made: Update to sections 1, 8 and 16.

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC.

The information and recommendations presented in this SDS are based on sources believed to be accurate. Badger Fire Protection assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.

Revision Date: August 26, 2019 Page 7 of 7